Customer Name:			Date Measured:	
Height in inches:	Weight in pounds:	Size in normal clothes?	Size in hunt coat?	Size in hunt shirt?
Coat/Shirt Length:	1. Under Bust: 2. Bust:	Bust Width:	Waist:	Hips:
	2 1			
Measure from shoulder seam to desired length. Very important as this will be the length of your jacket or shirt.	Measure largest point of bust keeping tape a little higher at the back. Measure under bust at bra strap. Wear show bra for correct measurement.	Measure width between point of breasts (from one nipple to another). Please wear show bra.	Measure natural waistline, the narrowest part, usually just above the belly button.	Measure 7" below the waist or widest point of hips but not tight.
Front:	Back:	Full Shoulders:	Shoulder to Bust:	Half Shoulder:
Measure from center of one armhole to the other	Measure from center of one armhole to the other across	Measure from shoulder to shoulder across shoulder	Measure from shoulder seam to	Measure from end of shoulder
across the front	the back.	slope to base of neck.	point of bust.	to base of neck.
Sleeves:	Cuffs:	1. Biceps: 2. Shoulder:	Neck:	Photos:
) is		Please attach/send photos standing straight: FRONT, BACK, AND SIDE VIEW
Measure from shoulder to desired length. Please take into account bent elbows while showing and desired length of sleeve.	Measure desired width around cuff.	Measure around widest part of biceps Measure around shoulder opening.	Measure around the neck.	

Please note: Boo Yah Custom Clothing will not be responsible for incorrect measurements taken by yourself or another person. We recommend being measured by a professional tailor or seamstress and taking an example of the clothing item (especially a hunt coat) along so they can understand the fit. Our clothing is made from this detailed measurement chart to custom fit you and thus cannot be returned because of incorrect measurements. Customers are expected to try their items on within two weeks of delivery to insure proper fit.

Type of shoulders			- rought
Please mark one:	Sloping Shoulders	Regular Shoulders	Square Shoulders
	9		
Type of Posture			
Please mark one:	Normal	Erect	Stout
	A Company of the comp	A STATE OF THE STA	
Please attach photos Standing straight:	FRONT VIEW	BACK VIEW	SIDE VIEW

Pant Orders Only:				
Waist:	Measure where the pants should sit (without any allowance)	Pants Outseam:	Pants Inseam:	Pant Cuff:
Rise:	Measure from center of crotch to top of waist band in the front			M
Crotch:	Measure from top of waistband in front, between legs, to top of waistband in back. This should be a loose measurement to allow for movement.			
Thigh:	Measure around thigh at widest point.	Measure from top of waistband to desired length.	Measure inseam from crotch to desired length.	Measure desired width around cuffs.
Calf:	Measure around calf at widest point.	Please wear boots for correct measurement.	Please wear boots for correct measurement.	Please wear boots for correct measurement.

Thank you for choosing Boo Yah Custom Clothing!
Spike Brewer & Megan Brown
booyahcustomclothing@gmail.com
www.booyahcustomclothing.com

937-408-9988

Please note: Boo Yah Custom Clothing will not be responsible for incorrect measurements taken by yourself or another person. We recommend being measured by a professional tailor or seamstress and taking an example of the clothing item (especially a hunt coat) along so they can understand the fit. Our clothing is made from this detailed measurement chart to custom fit you and thus cannot be returned because of incorrect measurements. Customers are expected to try their items on within two weeks of delivery to insure proper fit.

HERITAGE

required.

Hips



Measure around the hips at the widest point, measure just right but not

Front



Measure to and from the tips of the armpits in the front across the chest



etween the tape and the neck

Pants Length



Place the edge of the tape at the point where the pants sit on the waist nd measure straight down until the bottom of the legs at the length

Measurement Chart



Measure around the chest, right below the underarms, m right with no allowance

Shoulder



Measure from one tip of the shoulder at the shoulder joint to the other.

Back



Pants Waist



Wrap the tape around the point where you prefer to wear the pants or where the pants naturally fall. Measure so the tape fits just right and

Thigh



Measure around the widest point of the thigh, which is just below the crotch, notice that the tape fits just right, but not too close-fitting at the same time. (we will add the appropriate allowance on the thighs based on the client's preference of tapered or comfortable fit)



fleasure around the wides part of the stomach, just around the position of the navel, measure just right but not too snug

Sleeves



shoulder, raise the tape just a touch and measure down the sleeves in a straight line until required.

Bicep



Measure around the bicep area with no allowance but not too snug

Crotch



Place the edge of the tape at the point in the front where the pants v sit at the waist, then slide the tape across the crotch to the back and place your fingers on the tape at the point where the pants will sit on the waist in the back to give you the crotch measurement. Please note that the tape should not wrap around the crotch too tight and so be sure to ave a natural allowance.



lace the tape around the ankle and widen the circumference to as

Pounds or Kilograms Weight Feet & Inches or CM Height