





















Customer Name:				Date Measured:	
Height in inches:	Weight in pounds:	Size in normal clothes?	Size in hunt coat?	Size in hunt shirt?	
Coat/Shirt Length:	1. Under Bust: 2. Bust:	Bust Width:	Waist:	Hips:	
					
Measure from shoulder seam to desired length. Very important as this will be the length of your jacket or shirt.	Measure largest point of bust keeping tape a little higher at the back. Measure under bust at bra strap. Wear show bra for correct measurement.	Measure width between point of breasts (from one nipple to another). Please wear show bra.	Measure natural waistline, the narrowest part, usually just above the belly button.	Measure <i>T</i> below the waist or widest point of hips but not tight.	
Front:	Back:	Full Shoulders:	Shoulder to Bust:	Half Shoulder:	
					
Measure from center of one armhole to the other across the front	Measure from center of one armhole to the other across the back.	Measure from shoulder to shoulder across shoulder slope to base of neck.	Measure from shoulder seam to point of bust.	Measure from end of shoulder to base of neck.	
Sleeves:	Cuffs:	1. Biceps: 2. Shoulder:	Neck:	Photos:	
				Please attach/send photos standing straight: FRONT, BACK, AND SIDE VIEW	
Measure from shoulder to desired length. Please take into account bent elbows while showing and desired length of sleeve.	Measure desired width around cuff.	1. Measure around widest part of biceps 2. Measure around shoulder opening.	Measure around the neck.		

Please note: Boo Yah custom Clothing will not be responsible for incorrect measurements taken by yourself or another person. We recommend being measured by a professional tailor or seamstress and taking an example of the clothing item (especially a hunt coat) along so they can understand the fit. Our clothing is made from this detailed measurement chart to custom fit you and this cannot be returned because of incorrect measurements. Customers are expected to try their items on within two weeks of delivery to ensure proper fit.

Type of shoulders			
Please mark one:	Sloping Shoulders	Regular Shoulders	Square Shoulders
			
Type of Posture			
Please mark one:	Normal	Erect	Stout
			
Please attach photos Standing straight:	FRONT VIEW	BACK VIEW	SIDE VIEW

Thank you for choosing Boo Yah Custom Clothing!
Spike Brewer & Megan Brown
booyahcustomclothing@gmail.com
www.booyahcustomclothing.com




937-408-9988

Please note: Boo Yah Custom Clothing will not be responsible for incorrect measurements taken by yourself or another person. We recommend being measured by a professional tailor or seamstress and taking an example of the clothing item (especially a hunt coat) along so they can understand the fit. Our clothing is made from this detailed measurement chart to custom fit you and thus cannot be returned because of incorrect measurements. Customers are expected to try their items on within two weeks of delivery to insure proper fit.

Measurement Chart

Length



Measure from the top of the shoulder, just beside the neck and until required.

Hips



Measure around the hips at the widest point, measure just right but not too snug

Front



Measure to and from the tips of the armpits in the front across the chest

Neck



Measure around the neck with enough space to put JUST one finger between the tape and the neck

Pants Length




Place 1 finger at the point where the pants sit on the waist. Sit on the toilet. Measure from the bottom of the top of the inside leg to the hem.

Chest




Measure around the chest, right below the underarm, measure just right with no allowance

Shoulder



Measure from one tip of the shoulder at the shoulder joint to the other.

Back



Measure to and from the tips of the armpits in the back across the upper back

Pants Waist




Wrap the tape around the point where you prefer to wear the pants where the pants naturally fall. Measure so the tape fits just right and leave no allowance.

Thigh




Measure around the widest part of the thigh, which is just below the hip notch, not the knee. Measure just right, but not too loose—fit at the same time. (We will add the appropriate allowance on the thighs based on the client's preference of tapered or comfortable fit)

Waist




Measure around the widest part of the stomach, just around the position of the navel, measure just right but not too snug

Sleeves



From the tip of the shoulder, raise the tape just a touch and measure down the sleeves in a straight line until required.

Bicep



Measure around the bicep area with no allowance but not too snug

Crotch



Place the end of the tape at the point in the front where the pants will sit at the waist, then slide the tape across the crotch to the back and place your fingers on the tape at the point where the pants will sit on the back. In the back to give you the crotch measurement. Please note that the tape should not wrap around the crotch too tight and will be worn to leave a natural allowance.

Bottom



Place the tape around the ankle and widen the circumference to as preferred.

Age	
Weight	_____
Height	_____

Please attach 3 photographs

fit-llidlllarCM